

MDSA Series







FEATURES

- 
- 
- 
- 
- 
- 
- 
- 



APPLICATION


- 
- 
- 
- 
- 
- 



| Part No | Inductance<br>@ 100KHz/1V | Tolerance | Temperature<br>Rise Current<br>Typ.<br>(A) | Temperature<br>Rise Current<br>Max.<br>(A) | Current<br>Typ.<br>(A) | Current<br>Max.<br>(A) | DC<br>Resistance<br>Typ. | DC<br>Resistance<br>Max. |
|---------|---------------------------|-----------|--------------------------------------------|--------------------------------------------|------------------------|------------------------|--------------------------|--------------------------|
|         |                           |           |                                            |                                            |                        |                        |                          |                          |
|         |                           |           |                                            |                                            |                        |                        |                          |                          |
|         |                           |           |                                            |                                            |                        |                        |                          |                          |
|         |                           |           |                                            |                                            |                        |                        |                          |                          |
|         |                           |           |                                            |                                            |                        |                        |                          |                          |
|         |                           |           |                                            |                                            |                        |                        |                          |                          |
|         |                           |           |                                            |                                            |                        |                        |                          |                          |
|         |                           |           |                                            |                                            |                        |                        |                          |                          |


This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. On the left side, there is a vertical margin line, creating a narrow left margin. The paper appears to be from a notebook or a standard ruled document.






C  
C  
C

:



| MDSA4020 | 4.5 ± 0.1 | 4.85 ± 0.1 | 1.5 ± 0.1 | 4.0 ± 0.1 | 8.0 ± 0.1 | 12.0 ± 0.3 | 2.3 ± 0.1 | 1.75 ± 0.1 | 0.35 ± 0.05 |
|----------|-----------|------------|-----------|-----------|-----------|------------|-----------|------------|-------------|








The peel force of top cover tape shall be between 0.1 to 1.3 N

|         |                        |
|---------|------------------------|
| Marking | K+Printing Inductance) |
|---------|------------------------|



:



3000 Pcs/Reel

3 Reel /Inner box( 9000 Pcs)

3 Inner box/Carton box(27K Pcs)

:

•

•

•

•

•

•

•

•